MD-909

MACHINEDRUM DRUMPACK

MD-909

Contents:

909 modeled analog drum sounds with 303 emulation.

- 12 Kits
- 28 Patterns
- 4 Samples

Kits:

MD909ORIG1: Classic 909 Kit, straight from the factory.
MD909ORIG2: Classic 909 Kit, straight from the factory. (Bass Drum variation)
MD909HOUS1: 909 House Kit
MD909HOUS2: 909 House Kit (variation)
MD909PUNCH: Punchy and crisp version of classic Kit.
MD909LOUD: Loud, saturated 909.
MD909NOISE: Noisy, broken 909. Time for a service

MD303-1: Tuned 303 emulation
MD303-2: Tuned 303 with different knob settings

MD909KICK1:909 Kicks with different tone settings. (2 emulation modes, TX and FM).
MD909KICK2: Random assortment of 909 emulated kicks.
MD909KICK3: Random assortment of 909 emulated kicks. (Punchy)

Track Assignment:

BD-1: Bass Drum Accent.   LT-1: Low Tom Accent   CH: Closed High Hat   RS: Rim-shot   RC: Ride Cymbal
BD-2: Bass Drum   LT-2: Low Tom   OH: Open High Hat   CP-1: Clap Accent   CC: Crash Cymbal
SD-1: Snare Drum Accent MD-1: Mid Tom Accent   CP-2: Clap   TB: Bassline
SD-2: Snare Drum   MD-2: Mid Tom

1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
BD-1	BD-2	SD-1	SD-2	LT-1	LT-2	MT-1	MT-2	CH	OH	RS	CP-1	CP-2	RC	CC	TB

MD909 UW Installation Instructions:

MD909 requires two full banks (32 free patterns). If using a Machinedrum with a +Drive installed, it is recommended that you transfer the data to a new snapshot.

For users without a +drive, ensure you have 2 free banks and 12 free Kit slots.

1) Enter the "SYSEX REC" menu on the Machinedrum,
2) Use C6 or equivalent SYSEX software to send the syses data from the MD909UW,syx file. Before sending, select either ORIG or SPEC mode in the MD SYSEX menu, depending upon where you want to store the pattern and kits

ORIG Mode: The MD909 Kits will occupy Kit Slots 1-12 and the MD909 Patterns will occupy banks A+B.
SPEC Mode. Use specific mode to select location for the MD909 patterns and kits. They will be stored sequentially from the specified starting location.

Transfer UW Samples:

The UW version of MD909 includes samples for the Hats and Cymbals.

1) Enter "SAMPLE MGR" on the Machinedrum.
2) Use C6 to transfer the sample files in to the corresponding sample slots listed below:

```
---------------------------------------------------
Sample Slot No. | Sample File Name
---------------------------------------------------
01:             | 09CH-SLOT1.syx
02:             | 09OH-SLOT2.syx
03:             | 09RC-SLOT3.syx
04:             | 09CC-SLOT4.syx
```